

SCHEDA PRODOTTO

REV 2.1 - IT202003

YS600 VELA



ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM ISO 0001:2013 CRITIFIED by:
EuCI European Certification Institute LTD
Certificate N.: GOTT2532Q1902

ORGANIZATION WITH FRIVIRONMENTAL MANAGEMENT SYSTEM
ISO 14001;2015 CERTIFIED by
EUCI European Certification Institute LTD
Certificate No: GOTT2522E1801
















COLLEZIONE	DYNAMICS
DIMENSIONI (L x P x H) in cm	725 x 480 x 320
ALTEZZA CRITICA DI CADUTA	240
AREA MIN/MAX ANTITRAUMA	min. 74,25 m² - MAX 84,00 m²
ETÀ D'USO CONSIGLIATA	10+
COMPOSIZIONE	- n°8 pali portanti in alluminio tondi Ø127 - n°2 pedane in alluminio - n°5 barriere in metallo - n°2 arrampicate in lastra di HDPE - n°1 arrampicata elicoidale in metallo - n°1 passamano a mezzelune - n°1 spalliera in metallo - n°1 arrampicata ad arco di corda

- n°4 decori in lastra di HDPE





Realizzare un idoneo fondo antitrauma in funzione dell'altezza critica di caduta. Manutenzione periodica obbligatoria come da piano consegnato al cliente.